
## **Bishop Hill**

Barbour County, Alabama, AC +/-



## | Boundary 1726.5 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
CeD	Conecuh sandy loam, 8 to 20 percent slopes	194.6	11.27	7e
W	Water	22.7	1.31	-
CeC	Conecuh sandy loam, 5 to 8 percent slopes	80.2	4.65	4e
CeB	Conecuh sandy loam, 2 to 5 percent slopes	137.8	7.98	3e
BnB	Blanton-Bonneau complex, 0 to 5 percent slopes	60.9	3.53	3s
LyA	Lynchburg loamy fine sand 0 to 2 percent slopes	69.2	4.01	2w
OcA	Ocilla loamy fine sand, 0 to 2 percent slopes	289.6	16.78	3w
OnB2	Oktibbeha-Hannon complex, 1 to 3 slopes, eroded	73.4	4.25	2e
LeD	Luverne sandy loam, 8 to 15 percent slopes	53.6	3.1	4e
LsE	Luverne-Springhill complex, 15 to 45 percent slopes	144.1	8.35	7e
UnA	Una loam, ponded	110.8	6.42	4w
OkC2	Oktibbeha clay loam, 3 to 8 percent slopes, eroded	285.9	16.56	4e
LeC	Luverne sandy loam, 2 to 8 percent slopes	81.3	4.71	4e
lbA	luka-Bibb complex, 0 to 1 percent slopes, frequently flooded	77.8	4.51	5w
PeA	Pelham loamy sand, 0 to 2 percent slopes	1.9	0.11	5w
ВоВ	Bonifay loamy sand, 0 to 5 percent slopes	38.0	2.2	3s
LcC	Lucy loamy sand, 5 to 8 percent slopes	4.5	0.26	3s
TOTALS		1726.5	100%	4.11

## **Capability Legend**

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

## **Grazing Cultivation**

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$  soil limitations within the rooting zone  $\left(w\right)$  excess of water